

```
INFO: Downloading https://github.com/mschlenstedt/LoxBerry-Plugin-1-Wire-NG/archive/1-Wire-NG-1.0.1.zip ...
We are in CGI mode.
25.04.2020 10:38:45 INFO: Statusfile: /tmp/CccStoBsfa.status
25.04.2020 10:38:45 INFO: Temp Folder: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa
25.04.2020 10:38:45 INFO: Logfile: /tmp/CccStoBsfa.log
25.04.2020 10:38:45 INFO: Sperre plugininstall - das kann bis zu 10 Minuten dauern...
25.04.2020 10:38:46 OK: Sperre erfolgreich eingerichtet.
25.04.2020 10:38:46 INFO: Start der Plugin-Installation.
25.04.2020 10:38:46 INFO: Entpacken des Plugin-Archivs
25.04.2020 10:38:46 INFO: Command: /usr/bin/sudo -n -u loxberry /usr/bin/unzip -d /opt/loxberry/
data/system/tmp/uploads/CccStoBsfa /opt/loxberry/data/system/tmp/uploads/CccStoBsfa.zip
Archive: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa.zip
fe446391f32e86d734b4a89933ebbe228d02f409
creating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-
NG-1.0.1/
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-
NG-1.0.1/LICENSE
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-
NG-1.0.1/README.md
creating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-
NG-1.0.1/bin/
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-
NG-1.0.1/bin/createftdi.sh
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-
NG-1.0.1/bin/owfs2mqtt.pl
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-
NG-1.0.1/bin/watchdog.pl
creating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-
NG-1.0.1/config/
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-
NG-1.0.1/config/mqtt.json
extracting: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-
NG-1.0.1/config/mqtt_subscriptions.cfg
```

inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/config/owfs.conf  
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/config/owfs.json  
creating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/dpkg/  
extracting: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/dpkg/apt  
creating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/  
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon.pptx  
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon.psd  
extracting: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon\_128.png  
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon\_256.png  
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon\_512.png  
extracting: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon\_64.png  
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/logo\_green\_transparent.png  
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/plugin.cfg  
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/postroot.sh  
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/postupgrade.sh  
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/prerelease.cfg  
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/preupgrade.sh

```
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/release.cfg
creating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/sudoers/
extracting: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/sudoers/sudoers
creating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates/
creating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates/lang/
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates/lang/language_de.ini
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates/lang/language_en.ini
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates/settings.html
creating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/webfrontend/
creating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/webfrontend/htmlauth/
creating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/webfrontend/htmlauth/images/
extracting: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/webfrontend/htmlauth/images/cancel_32.png
extracting: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/webfrontend/htmlauth/images/gear_32.png
inflating: /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/webfrontend/htmlauth/index.cgi
LoxBerry::System::get_plugins: Could not read /opt/loxberry/data/system/plugindatabase.json
at /opt/loxberry/libs/perl/lib/LoxBerry/Log.pm line 522.
LoxBerry::System::get_plugins: Could not read /opt/loxberry/data/system/plugindatabase.json
at /opt/loxberry/libs/perl/lib/LoxBerry/Log.pm line 791.
25.04.2020 10:38:47 OK: Das Plugin wurde erfolgreich extrahiert.
25.04.2020 10:38:47 INFO: Author: M. Schlenstedt
```

```
25.04.2020 10:38:47 INFO: Email: michael@loxberry.de
25.04.2020 10:38:47 INFO: Version: 1.0.1
25.04.2020 10:38:47 INFO: Name: 1-wire-ng
25.04.2020 10:38:47 INFO: Folder: 1-wire-ng
25.04.2020 10:38:47 INFO: Title: 1-Wire NG
25.04.2020 10:38:47 INFO: Autoupdate: True
25.04.2020 10:38:47 INFO: Release: https://raw.githubusercontent.com/mschlenstedt/LoxBerry-
Plugin-1-Wire-NG/master/release.cfg
25.04.2020 10:38:47 INFO: Prerelease: https://raw.githubusercontent.com/mschlenstedt/LoxBerry-
Plugin-1-Wire-NG/master/prerelease.cfg
25.04.2020 10:38:47 INFO: Reboot: True
25.04.2020 10:38:47 INFO: Min LB Vers: 2.0.0.4
25.04.2020 10:38:47 INFO: Max LB Vers: False
25.04.2020 10:38:47 INFO: Architecture: False
25.04.2020 10:38:47 INFO: Custom Log: True
25.04.2020 10:38:47 INFO: Interface: 2.0
25.04.2020 10:38:49 OK: Alle wichtigen Parameter sind im Plugin-Archiv vorhanden.
25.04.2020 10:38:49 INFO: Derzeitige LoxBerry-Version: v2.0.1.3
25.04.2020 10:38:49 INFO: Erforderliche LoxBerry-Version mindestens:v2.0.0.4
25.04.2020 10:38:49 OK: Deine derzeitige LoxBerry-Version wird vom Plugin unterstützt
(Mindestversion erfüllt).
25.04.2020 10:38:49 INFO: Verwendeter Plugin-Name: 1-wire-ng
25.04.2020 10:38:49 INFO: Verwendetes Plugin-Verzeichnis: 1-wire-ng
25.04.2020 10:38:49 INFO: Erstelle Shadow-Version der Plugin-Datenbank.
'/opt/loxberry/data/system/pluginidatabase.json' -> '/opt/loxberry/data/system/pluginidatabase.json-'
25.04.2020 10:38:49 INFO: Ändere Datei-Berechtigungen: /bin/chmod -v 644 /opt/loxberry/data/system/
pluginidatabase.json-
mode of '/opt/loxberry/data/system/pluginidatabase.json-' retained as 0644 (rw-r--r--)
25.04.2020 10:38:50 OK: Datei-Berechtigungen wurden erfolgreich geändert.
25.04.2020 10:38:50 INFO: Ändere Datei-Eigentümer: /bin/chown -v root.root /opt/loxberry/data/
system/pluginidatabase.json-
ownership of '/opt/loxberry/data/system/pluginidatabase.json-' retained as root:root
25.04.2020 10:38:50 OK: Datei-Eigentümer wurde erfolgreich geändert.
```

```
'/opt/loxberry/data/system/pluginidatabase.json' -> '/opt/loxberry/data/system/
pluginidatabase.json.bkp'
25.04.2020 10:38:50 INFO: Ändere Datei-Berechtigungen: /bin/chmod -v 644 /opt/loxberry/data/system/
pluginidatabase.json.bkp
mode of '/opt/loxberry/data/system/pluginidatabase.json.bkp' retained as 0644 (rw-r--r--)
25.04.2020 10:38:50 OK: Datei-Berechtigungen wurden erfolgreich geändert.
25.04.2020 10:38:50 INFO: Ändere Datei-Eigentümer: /bin/chown -v loxberry.loxberry /opt/loxberry/
data/system/pluginidatabase.json.bkp
changed ownership of '/opt/loxberry/data/system/pluginidatabase.json.bkp' from root:root to
loxberry:loxberry
25.04.2020 10:38:50 OK: Datei-Eigentümer wurde erfolgreich geändert.
25.04.2020 10:38:50 INFO: Getting file list from /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/
LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1
25.04.2020 10:38:51 INFO: Found 30 files
25.04.2020 10:38:51 INFO: Filtering out binary files
25.04.2020 10:38:56 INFO: 16 found out of 20 ...
25.04.2020 10:38:57 OK: Found 19 files to be text files
25.04.2020 10:38:57 INFO: Checking for hardcoded paths to /opt/loxberry
25.04.2020 10:38:57 OK: No hardcoded paths to /opt/loxberry found
25.04.2020 10:38:57 INFO: Ersetze Umgebungsvariablen.
25.04.2020 10:38:57 INFO: Running replacement for 19 files
25.04.2020 10:39:15 OK: Replace of 19 files finished
25.04.2020 10:39:15 INFO: Konvertiere alle Plugin Dateien (ASCII) zum Unix Dateiformat.
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-
NG-1-Wire-NG-1.0.1/postupgrade.sh to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-
NG-1-Wire-NG-1.0.1/README.md to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-
NG-1-Wire-NG-1.0.1/plugin.cfg to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-
NG-1-Wire-NG-1.0.1/prerelease.cfg to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-
NG-1-Wire-NG-1.0.1/LICENSE to Unix format...
```

```
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/postroot.sh to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/release.cfg to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/preupgrade.sh to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/bin/createftdi.sh to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/bin/watchdog.pl to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/bin/owfs2mqtt.pl to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/sudoers/sudoers to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates/settings.html to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates/lang/language_en.ini to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates/lang/language_de.ini to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/dpkg/apt to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/webfrontend/htmlauth/index.cgi to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/config/mqtt_subscriptions.cfg to Unix format...
dos2unix: converting file /opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/config/owfs.conf to Unix format...
25.04.2020 10:39:15 INFO: Installiere Konfigurationsdateien.
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/config/mqtt.json' -> '/opt/loxberry/config/plugins/1-wire-ng/mqtt.json'
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/config/mqtt_subscriptions.cfg' -> '/opt/loxberry/config/plugins/1-wire-ng/mqtt_subscriptions.cfg'
```

'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/config/owfs.conf' -> '/opt/loxberry/config/plugins/1-wire-ng/owfs.conf'

'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/config/owfs.json' -> '/opt/loxberry/config/plugins/1-wire-ng/owfs.json'

25.04.2020 10:39:16 **OK:** Alle Dateien wurden erfolgreich installiert.

25.04.2020 10:39:16 **INFO:** Ändere Datei-Eigentümer: /bin/chown -Rv loxberry.loxberry /opt/loxberry/config/plugins/1-wire-ng

ownership of '/opt/loxberry/config/plugins/1-wire-ng/mqtt.json' retained as loxberry:loxberry

ownership of '/opt/loxberry/config/plugins/1-wire-ng/owfs.json' retained as loxberry:loxberry

ownership of '/opt/loxberry/config/plugins/1-wire-ng/mqtt\_subscriptions.cfg' retained as loxberry:loxberry

ownership of '/opt/loxberry/config/plugins/1-wire-ng/owfs.conf' retained as loxberry:loxberry

ownership of '/opt/loxberry/config/plugins/1-wire-ng' retained as loxberry:loxberry

25.04.2020 10:39:16 **OK:** Datei-Eigentümer wurde erfolgreich geändert.

25.04.2020 10:39:16 **INFO:** Installiere bin-Dateien.

'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/bin/createftdi.sh' -> '/opt/loxberry/bin/plugins/1-wire-ng/createftdi.sh'

'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/bin/owfs2mqtt.pl' -> '/opt/loxberry/bin/plugins/1-wire-ng/owfs2mqtt.pl'

'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/bin/watchdog.pl' -> '/opt/loxberry/bin/plugins/1-wire-ng/watchdog.pl'

25.04.2020 10:39:17 **OK:** Alle Dateien wurden erfolgreich installiert.

25.04.2020 10:39:17 **INFO:** Ändere Datei-Berechtigungen: /bin/chmod -Rv 755 /opt/loxberry/bin/plugins/1-wire-ng

mode of '/opt/loxberry/bin/plugins/1-wire-ng' retained as 0755 (rwxr-xr-x)

mode of '/opt/loxberry/bin/plugins/1-wire-ng/createftdi.sh' retained as 0755 (rwxr-xr-x)

mode of '/opt/loxberry/bin/plugins/1-wire-ng/watchdog.pl' retained as 0755 (rwxr-xr-x)

mode of '/opt/loxberry/bin/plugins/1-wire-ng/owfs2mqtt.pl' retained as 0755 (rwxr-xr-x)

25.04.2020 10:39:17 **OK:** Datei-Berechtigungen wurden erfolgreich geändert.

25.04.2020 10:39:17 **INFO:** Ändere Datei-Eigentümer: /bin/chown -Rv loxberry.loxberry /opt/loxberry/bin/plugins/1-wire-ng

ownership of '/opt/loxberry/bin/plugins/1-wire-ng/createftdi.sh' retained as loxberry:loxberry

ownership of '/opt/loxberry/bin/plugins/1-wire-ng/watchdog.pl' retained as loxberry:loxberry

ownership of '/opt/loxberry/bin/plugins/1-wire-ng/owfs2mqtt.pl' retained as loxberry:loxberry

```
ownership of '/opt/loxberry/bin/plugins/1-wire-ng' retained as loxberry:loxberry
25.04.2020 10:39:17 OK: Datei-Eigentümer wurde erfolgreich geändert.
25.04.2020 10:39:17 INFO: Installiere template-Dateien.
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
templates/lang' -> '/opt/loxberry/templates/plugins/1-wire-ng/lang'
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
templates/lang/language_en.ini' -> '/opt/loxberry/templates/plugins/1-wire-ng/lang/language_en.ini'
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
templates/lang/language_de.ini' -> '/opt/loxberry/templates/plugins/1-wire-ng/lang/language_de.ini'
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
templates/settings.html' -> '/opt/loxberry/templates/plugins/1-wire-ng/settings.html'
25.04.2020 10:39:18 OK: Alle Dateien wurden erfolgreich installiert.
25.04.2020 10:39:18 INFO: Ändere Datei-Eigentümer: /bin/chown -Rv loxberry.loxberry /opt/loxberry/
templates/plugins/1-wire-ng
ownership of '/opt/loxberry/templates/plugins/1-wire-ng/lang/language_en.ini' retained as
loxberry:loxberry
ownership of '/opt/loxberry/templates/plugins/1-wire-ng/lang/language_de.ini' retained as
loxberry:loxberry
ownership of '/opt/loxberry/templates/plugins/1-wire-ng/lang' retained as loxberry:loxberry
ownership of '/opt/loxberry/templates/plugins/1-wire-ng/settings.html' retained as loxberry:loxberry
ownership of '/opt/loxberry/templates/plugins/1-wire-ng' retained as loxberry:loxberry
25.04.2020 10:39:18 OK: Datei-Eigentümer wurde erfolgreich geändert.
25.04.2020 10:39:18 INFO: Installiere htмлauth-Dateien.
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
webfrontend/htmlauth/images' -> '/opt/loxberry/webfrontend/htmlauth/plugins/1-wire-ng/images'
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
webfrontend/htmlauth/images/cancel_32.png' -> '/opt/loxberry/webfrontend/htmlauth/plugins/1-wire-ng/
images/cancel_32.png'
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
webfrontend/htmlauth/images/gear_32.png' -> '/opt/loxberry/webfrontend/htmlauth/plugins/1-wire-ng/
images/gear_32.png'
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
webfrontend/htmlauth/index.cgi' -> '/opt/loxberry/webfrontend/htmlauth/plugins/1-wire-ng/index.cgi'
25.04.2020 10:39:19 OK: Alle Dateien wurden erfolgreich installiert.
```



25.04.2020 10:39:19 **INFO:** Ändere Datei-Berechtigungen: /usr/bin/find /opt/loxberry/webfrontend/htmlauth/plugins/1-wire-ng -iregex '.\*\.cgi\|.\*\.pl\|.\*\.sh' -exec /bin/chmod -v 755 {} \; mode of '/opt/loxberry/webfrontend/htmlauth/plugins/1-wire-ng/index.cgi' retained as 0755 (rwxr-xr-x)

25.04.2020 10:39:20 **OK:** Datei-Berechtigungen wurden erfolgreich geändert.

25.04.2020 10:39:20 **INFO:** Ändere Datei-Eigentümer: /bin/chown -Rv loxberry.loxberry /opt/loxberry/webfrontend/htmlauth/plugins/1-wire-ng

ownership of '/opt/loxberry/webfrontend/htmlauth/plugins/1-wire-ng/index.cgi' retained as loxberry:loxberry

ownership of '/opt/loxberry/webfrontend/htmlauth/plugins/1-wire-ng/images/cancel\_32.png' retained as loxberry:loxberry

ownership of '/opt/loxberry/webfrontend/htmlauth/plugins/1-wire-ng/images/gear\_32.png' retained as loxberry:loxberry

ownership of '/opt/loxberry/webfrontend/htmlauth/plugins/1-wire-ng/images' retained as loxberry:loxberry

ownership of '/opt/loxberry/webfrontend/htmlauth/plugins/1-wire-ng' retained as loxberry:loxberry

25.04.2020 10:39:20 **OK:** Datei-Eigentümer wurde erfolgreich geändert.

25.04.2020 10:39:20 **INFO:** Installiere icon-Datei.

'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon.pptx' -> '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/icon.pptx'

'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon.psd' -> '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/icon.psd'

'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon\_128.png' -> '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/icon\_128.png'

'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon\_256.png' -> '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/icon\_256.png'

'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon\_512.png' -> '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/icon\_512.png'

'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon\_64.png' -> '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/icon\_64.png'

'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/logo\_green\_transparent.png' -> '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/logo\_green\_transparent.png'

25.04.2020 10:39:20 **OK:** Icons wurden erfolgreich installiert.

```
25.04.2020 10:39:20 INFO: Ändere Datei-Eigentümer: /bin/chown -Rv loxberry.loxberry /opt/loxberry/
webfrontend/html/system/images/icons/1-wire-ng
ownership of '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/icon_64.png' retained as
loxberry:loxberry
ownership of '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/
logo_green_transparent.png' retained as loxberry:loxberry
ownership of '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/icon_256.png' retained as
loxberry:loxberry
ownership of '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/icon_128.png' retained as
loxberry:loxberry
ownership of '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/icon.pptx' retained as
loxberry:loxberry
ownership of '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/icon_512.png' retained as
loxberry:loxberry
ownership of '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng/icon.psd' retained as
loxberry:loxberry
ownership of '/opt/loxberry/webfrontend/html/system/images/icons/1-wire-ng' retained as
loxberry:loxberry
25.04.2020 10:39:21 OK: Datei-Eigentümer wurde erfolgreich geändert.
25.04.2020 10:39:21 INFO: Installiere sudoers-Datei.
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/sudoers/
sudoers' -> '/opt/loxberry/system/sudoers/1-wire-ng'
25.04.2020 10:39:21 OK: Alle Dateien wurden erfolgreich installiert.
25.04.2020 10:39:21 INFO: Ändere Datei-Berechtigungen: /bin/chmod -v 644 /opt/loxberry/system/
sudoers/1-wire-ng
mode of '/opt/loxberry/system/sudoers/1-wire-ng' retained as 0644 (rw-r--r--)
25.04.2020 10:39:21 OK: Datei-Berechtigungen wurden erfolgreich geändert.
25.04.2020 10:39:21 INFO: Ändere Datei-Eigentümer: /bin/chown -v root.root /opt/loxberry/system/
sudoers/1-wire-ng
ownership of '/opt/loxberry/system/sudoers/1-wire-ng' retained as root:root
25.04.2020 10:39:21 OK: Datei-Eigentümer wurde erfolgreich geändert.
25.04.2020 10:39:21 INFO: Aktualisierung der APT-Datenbank.
25.04.2020 10:39:21 INFO: Command: /usr/bin/dpkg --configure -a
```

```
25.04.2020 10:39:22 INFO: Command: APT_LISTCHANGES_FRONTEND=none DEBIAN_FRONTEND=noninteractive /usr/bin/apt-get -y -q --allow-unauthenticated --fix-broken --reinstall --allow-downgrades --allow-remove-essential --allow-change-held-packages --purge autoremove
Reading package lists...
Building dependency tree...
Reading state information...
0 upgraded, 0 newly installed, 0 to remove and 154 not upgraded.
25.04.2020 10:39:54 INFO: Command: APT_LISTCHANGES_FRONTEND=none DEBIAN_FRONTEND=noninteractive /usr/bin/apt-get -q -y --allow-unauthenticated --allow-downgrades --allow-remove-essential --allow-change-held-packages update
Hit:1 http://ftp.halifax.rwth-aachen.de/raspbian/raspbian buster InRelease
Hit:2 https://deb.nodesource.com/node_12.x buster InRelease
Get:3 https://dl.yarnpkg.com/debian stable InRelease [17.1 kB]
Err:3 https://dl.yarnpkg.com/debian stable InRelease
The following signatures were invalid: EXPKEYSIG 23E7166788B63E1E Yarn Packaging
Reading package lists...
W: An error occurred during the signature verification. The repository is not updated and the previous index files will be used. GPG error: https://dl.yarnpkg.com/debian stable InRelease: The following signatures were invalid: EXPKEYSIG 23E7166788B63E1E Yarn Packaging
W: Failed to fetch https://dl.yarnpkg.com/debian/dists/stable/InRelease The following signatures were invalid: EXPKEYSIG 23E7166788B63E1E Yarn Packaging
W: Some index files failed to download. They have been ignored, or old ones used instead.
25.04.2020 10:41:26 OK: Die APT-Datenbank wurde erfolgreich aktualisiert.
25.04.2020 10:41:26 INFO: Installiere zusätzliche Softwarepakete.
25.04.2020 10:41:26 INFO: Command: /usr/bin/dpkg --configure -a
25.04.2020 10:41:27 INFO: Command: APT_LISTCHANGES_FRONTEND=none DEBIAN_FRONTEND=noninteractive /usr/bin/apt-get -y -q --allow-unauthenticated --fix-broken --reinstall --allow-downgrades --allow-remove-essential --allow-change-held-packages --purge autoremove
Reading package lists...
Building dependency tree...
Reading state information...
0 upgraded, 0 newly installed, 0 to remove and 154 not upgraded.
```

```
25.04.2020 10:41:58 INFO: Command: APT_LISTCHANGES_FRONTEND=none DEBIAN_FRONTEND=noninteractive /usr/bin/apt-get --no-install-recommends -q -y --allow-unauthenticated --fix-broken --reinstall --allow-downgrades --allow-remove-essential --allow-change-held-packages install libownet-perl
Reading package lists...
Building dependency tree...
Reading state information...
The following NEW packages will be installed:
libownet-perl
0 upgraded, 1 newly installed, 0 to remove and 154 not upgraded.
Need to get 30.1 kB of archives.
After this operation, 71.7 kB of additional disk space will be used.
Get:1 http://ftp.halifax.rwth-aachen.de/raspbian/raspbian buster/main armhf libownet-perl all 3.2p3+dfsg1-2 [30.1 kB]
Fetched 30.1 kB in 0s (157 kB/s)
Selecting previously unselected package libownet-perl.
(Reading database ... (Reading database ... 5% (Reading database ... 10% (Reading database ... 15% (Reading database ... 20% (Reading database ... 25% (Reading database ... 30% (Reading database ... 35% (Reading database ... 40% (Reading database ... 45% (Reading database ... 50% (Reading database ... 55% (Reading database ... 60% (Reading database ... 65% (Reading database ... 70% (Reading database ... 75% (Reading database ... 80% (Reading database ... 85% (Reading database ... 90% (Reading database ... 95% (Reading database ... 100% (Reading database ... 82395 files and directories currently installed.)
Preparing to unpack .../libownet-perl_3.2p3+dfsg1-2_all.deb ...
Unpacking libownet-perl (3.2p3+dfsg1-2) ...
Setting up libownet-perl (3.2p3+dfsg1-2) ...
Processing triggers for man-db (2.8.5-2) ...
25.04.2020 10:43:06 OK: Das Paket wurde erfolgreich installiert.
25.04.2020 10:43:06 INFO: Aktualisiere skels für Log Dateien in tmpfs.
25.04.2020 10:43:10 OK: Script wurde erfolgreich ausgeführt.
25.04.2020 10:43:10 INFO: Starte Script POSTROOT.
25.04.2020 10:43:10 INFO: Command: cd "/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1" && "/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/postroot.sh" "CccStoBsfa" "1-wire-ng" "1-wire-ng" "1.0.1" "/opt/
```

```
loxberry" "/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1"
```

```
mode of '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/postroot.sh' retained as 0755 (rwxr-xr-x)
```

```
INFO: Installation as root user started.
```

```
INFO: Adding Testing branch to apt sources...
```

```
Warning: apt-key output should not be parsed (stdout is not a terminal)
```

```
Executing: /tmp/apt-key-gpghome.WMLCNh4RNU/gpg.1.sh --keyserver keyserver.ubuntu.com --recv-keys 04EE7237B7D453EC 648ACFD622F3D138
```

```
gpg: key DC30D7C23CBBABEE: public key "Debian Archive Automatic Signing Key (10/buster) " imported
```

```
gpg: key E0B11894F66AEC98: public key "Debian Archive Automatic Signing Key (9/stretch) " imported
```

```
gpg: Total number processed: 2
```

```
gpg: imported: 2
```

```
Reading package lists...
```

```
Building dependency tree...
```

```
Reading state information...
```

```
0 upgraded, 0 newly installed, 0 to remove and 154 not upgraded.
```

```
Hit:1 http://ftp.halifax.rwth-aachen.de/raspbian/raspbian buster InRelease
```

```
Get:2 http://ftp.de.debian.org/debian testing InRelease [116 kB]
```

```
Hit:3 https://deb.nodesource.com/node_12.x buster InRelease
```

```
Get:4 https://dl.yarnpkg.com/debian stable InRelease [17.1 kB]
```

```
Get:5 http://ftp.de.debian.org/debian testing/main armhf Packages [7473 kB]
```

```
Get:6 http://ftp.de.debian.org/debian testing/main Translation-en [5872 kB]
```

```
Get:7 http://ftp.de.debian.org/debian testing/non-free armhf Packages [58.0 kB]
```

```
Get:8 http://ftp.de.debian.org/debian testing/non-free Translation-en [89.3 kB]
```

```
Get:9 http://ftp.de.debian.org/debian testing/contrib armhf Packages [39.0 kB]
```

```
Get:10 http://ftp.de.debian.org/debian testing/contrib Translation-en [42.9 kB]
```

```
Err:4 https://dl.yarnpkg.com/debian stable InRelease
```

```
The following signatures were invalid: EXPKEYSIG 23E7166788B63E1E Yarn Packaging
```

```
Fetched 13.7 MB in 2min 6s (108 kB/s)
```

```
Reading package lists...
```

```
W: An error occurred during the signature verification. The repository is not updated and the previous index files will be used. GPG error: https://dl.yarnpkg.com/debian stable InRelease: The following signatures were invalid: EXPKEYSIG 23E7166788B63E1E Yarn Packaging
```

W: Failed to fetch https://dl.yarnpkg.com/debian/dists/stable/InRelease The following signatures were invalid: EXPKEYSIG 23E7166788B63E1E Yarn Packaging

W: Some index files failed to download. They have been ignored, or old ones used instead.

**INFO:** Installing owserver from Testing branch (stable branch is broken in Debian Buster)...

Reading package lists...

Building dependency tree...

Reading state information...

The following additional packages will be installed:

gcc-10-base libgcc-s1

Suggested packages:

owfs-doc

The following NEW packages will be installed:

gcc-10-base libftdi1-2 libgcc-s1 libow-3.2-3 owfs owfs-common owfs-fuse

owftpd owhttpd owserver

0 upgraded, 10 newly installed, 0 to remove and 1012 not upgraded.

Need to get 707 kB of archives.

After this operation, 1669 kB of additional disk space will be used.

Get:1 http://ftp.de.debian.org/debian testing/main armhf gcc-10-base armhf 10-20200418-1 [196 kB]

Get:2 http://ftp.de.debian.org/debian testing/main armhf libgcc-s1 armhf 10-20200418-1 [36.3 kB]

Get:3 http://ftp.de.debian.org/debian testing/main armhf libftdi1-2 armhf 1.4-2+b2 [28.2 kB]

Get:4 http://ftp.de.debian.org/debian testing/main armhf owfs-common all 3.2p3+dfsg1-5 [17.8 kB]

Get:5 http://ftp.de.debian.org/debian testing/main armhf libow-3.2-3 armhf 3.2p3+dfsg1-5+b1 [284 kB]

Get:6 http://ftp.de.debian.org/debian testing/main armhf owftpd armhf 3.2p3+dfsg1-5+b1 [47.2 kB]

Get:7 http://ftp.de.debian.org/debian testing/main armhf owhttpd armhf 3.2p3+dfsg1-5+b1 [32.0 kB]

Get:8 http://ftp.de.debian.org/debian testing/main armhf owserver armhf 3.2p3+dfsg1-5+b1 [32.1 kB]

Get:9 http://ftp.de.debian.org/debian testing/main armhf owfs-fuse armhf 3.2p3+dfsg1-5+b1 [24.0 kB]

Get:10 http://ftp.de.debian.org/debian testing/main armhf owfs all 3.2p3+dfsg1-5 [9460 B]

debconf: unable to initialize frontend: Dialog

debconf: (Dialog frontend will not work on a dumb terminal, an emacs shell buffer, or without a controlling terminal.)

debconf: falling back to frontend: Readline

debconf: unable to initialize frontend: Readline

debconf: (This frontend requires a controlling tty.)

debconf: falling back to frontend: Teletype

```
dpkg-preconfigure: unable to re-open stdin:
Fetched 707 kB in 1s (790 kB/s)
Selecting previously unselected package gcc-10-base:armhf.
(Reading database ... (Reading database ... 5% (Reading database ... 10% (Reading database ... 15%
(Reading database ... 20% (Reading database ... 25% (Reading database ... 30% (Reading database ...
35% (Reading database ... 40% (Reading database ... 45% (Reading database ... 50% (Reading
database ... 55% (Reading database ... 60% (Reading database ... 65% (Reading database ... 70%
(Reading database ... 75% (Reading database ... 80% (Reading database ... 85% (Reading database ...
90% (Reading database ... 95% (Reading database ... 100% (Reading database ... 82406 files and
directories currently installed.)
Preparing to unpack .../0-gcc-10-base_10-20200418-1_armhf.deb ...
Unpacking gcc-10-base:armhf (10-20200418-1) ...
Selecting previously unselected package libgcc-s1:armhf.
Preparing to unpack .../1-libgcc-s1_10-20200418-1_armhf.deb ...
Unpacking libgcc-s1:armhf (10-20200418-1) ...
Replacing files in old package libgcc1:armhf (1:8.3.0-6+rpi1) ...
Selecting previously unselected package libftdi1-2:armhf.
Preparing to unpack .../2-libftdi1-2_1.4-2+b2_armhf.deb ...
Unpacking libftdi1-2:armhf (1.4-2+b2) ...
Selecting previously unselected package owfs-common.
Preparing to unpack .../3-owfs-common_3.2p3+dfsg1-5_all.deb ...
Unpacking owfs-common (3.2p3+dfsg1-5) ...
Selecting previously unselected package libow-3.2-3:armhf.
Preparing to unpack .../4-libow-3.2-3_3.2p3+dfsg1-5+b1_armhf.deb ...
Unpacking libow-3.2-3:armhf (3.2p3+dfsg1-5+b1) ...
Selecting previously unselected package owftpd.
Preparing to unpack .../5-owftpd_3.2p3+dfsg1-5+b1_armhf.deb ...
Unpacking owftpd (3.2p3+dfsg1-5+b1) ...
Selecting previously unselected package owhttpd.
Preparing to unpack .../6-owhttpd_3.2p3+dfsg1-5+b1_armhf.deb ...
Unpacking owhttpd (3.2p3+dfsg1-5+b1) ...
Selecting previously unselected package owserver.
Preparing to unpack .../7-owserver_3.2p3+dfsg1-5+b1_armhf.deb ...
Unpacking owserver (3.2p3+dfsg1-5+b1) ...
```

```
Selecting previously unselected package owfs-fuse.
Preparing to unpack .../8-owfs-fuse_3.2p3+dfsg1-5+b1_armhf.deb ...
Unpacking owfs-fuse (3.2p3+dfsg1-5+b1) ...
Selecting previously unselected package owfs.
Preparing to unpack .../9-owfs_3.2p3+dfsg1-5_all.deb ...
Unpacking owfs (3.2p3+dfsg1-5) ...
Setting up libftdi1-2:armhf (1.4-2+b2) ...
Setting up gcc-10-base:armhf (10-20200418-1) ...
Setting up owfs-common (3.2p3+dfsg1-5) ...
debconf: unable to initialize frontend: Dialog
debconf: (Dialog frontend will not work on a dumb terminal, an emacs shell buffer, or without a
controlling terminal.)
debconf: falling back to frontend: Readline

Creating config file /etc/owfs.conf with new version
Setting up libgcc-s1:armhf (10-20200418-1) ...
Setting up libow-3.2-3:armhf (3.2p3+dfsg1-5+b1) ...
Setting up owserver (3.2p3+dfsg1-5+b1) ...
Created symlink /etc/systemd/system/multi-user.target.wants/owserver.service → /lib/systemd/system/
owserver.service.
Created symlink /etc/systemd/system/sockets.target.wants/owserver.socket → /lib/systemd/system/
owserver.socket.
Job for owserver.service failed because a fatal signal was delivered to the control process.
See "systemctl status owserver.service" and "journalctl -xe" for details.
Setting up owftpd (3.2p3+dfsg1-5+b1) ...
Created symlink /etc/systemd/system/multi-user.target.wants/owftpd.service → /lib/systemd/system/
owftpd.service.
Job for owftpd.service failed because a fatal signal was delivered to the control process.
See "systemctl status owftpd.service" and "journalctl -xe" for details.
Setting up owfs-fuse (3.2p3+dfsg1-5+b1) ...
Created symlink /etc/systemd/system/multi-user.target.wants/owfs.service → /lib/systemd/system/
owfs.service.
Job for owfs.service failed because a fatal signal was delivered to the control process.
See "systemctl status owfs.service" and "journalctl -xe" for details.
```



```
Setting up owhttpd (3.2p3+dfsg1-5+b1) ...
Created symlink /etc/systemd/system/multi-user.target.wants/owhttpd.service → /lib/systemd/system/owhttpd.service.
Job for owhttpd.service failed because a fatal signal was delivered to the control process.
See "systemctl status owhttpd.service" and "journalctl -xe" for details.
Setting up owfs (3.2p3+dfsg1-5) ...
Processing triggers for libc-bin (2.28-10+rpi1) ...
Processing triggers for systemd (241-7~deb10u1+rpi1) ...
Processing triggers for man-db (2.8.5-2) ...
INFO: Stopping and reconfigure OWFS services...
Removed /etc/systemd/system/multi-user.target.wants/owfs.service.
Synchronizing state of owftpd.service with SysV service script with /lib/systemd/systemd-sysv-install.
Executing: /lib/systemd/systemd-sysv-install disable owftpd
insserv: warning: current start runlevel(s) (empty) of script `owftpd' overrides LSB defaults (2 3 4 5).
insserv: warning: current stop runlevel(s) (0 1 2 3 4 5 6) of script `owftpd' overrides LSB defaults (0 1 6).
Removed /etc/systemd/system/multi-user.target.wants/owftpd.service.
Synchronizing state of owserver.service with SysV service script with /lib/systemd/systemd-sysv-install.
Executing: /lib/systemd/systemd-sysv-install enable owserver
Synchronizing state of owhttpd.service with SysV service script with /lib/systemd/systemd-sysv-install.
Executing: /lib/systemd/systemd-sysv-install enable owhttpd
INFO: Installing OWFS Configuration...
INFO: Installing UDEV Rule for FTDI 1-Wire Busmasters...
25.04.2020 10:56:44 OK: Script wurde erfolgreich ausgeführt.
25.04.2020 10:56:44 INFO: Speichern aller Paket-Installations-Scripts.
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/postroot.sh' -> '/opt/loxberry/data/system/install/1-wire-ng/postroot.sh'
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/postupgrade.sh' -> '/opt/loxberry/data/system/install/1-wire-ng/postupgrade.sh'
```

```
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
preupgrade.sh' -> '/opt/loxberry/data/system/install/1-wire-ng/preupgrade.sh'
25.04.2020 10:56:45 OK: Alle Dateien wurden erfolgreich installiert.
25.04.2020 10:56:45 INFO: Ändere Datei-Eigentümer: /bin/chown -Rv loxberry.loxberry /opt/loxberry/
data/system/install/1-wire-ng
ownership of '/opt/loxberry/data/system/install/1-wire-ng/postupgrade.sh' retained as
loxberry:loxberry
ownership of '/opt/loxberry/data/system/install/1-wire-ng/postroot.sh' retained as loxberry:loxberry
ownership of '/opt/loxberry/data/system/install/1-wire-ng/preupgrade.sh' retained as
loxberry:loxberry
ownership of '/opt/loxberry/data/system/install/1-wire-ng' retained as loxberry:loxberry
25.04.2020 10:56:45 OK: Datei-Eigentümer wurde erfolgreich geändert.
25.04.2020 10:56:45 INFO: Ändere Datei-Berechtigungen: /bin/chmod -Rv 755 /opt/loxberry/data/system/
install/1-wire-ng
mode of '/opt/loxberry/data/system/install/1-wire-ng' retained as 0755 (rwxr-xr-x)
mode of '/opt/loxberry/data/system/install/1-wire-ng/postupgrade.sh' retained as 0755 (rwxr-xr-x)
mode of '/opt/loxberry/data/system/install/1-wire-ng/postroot.sh' retained as 0755 (rwxr-xr-x)
mode of '/opt/loxberry/data/system/install/1-wire-ng/preupgrade.sh' retained as 0755 (rwxr-xr-x)
25.04.2020 10:56:45 OK: Datei-Berechtigungen wurden erfolgreich geändert.
25.04.2020 10:56:45 INFO: Sichere apt- und dpkg-Dateien.
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/dpkg' ->
'/opt/loxberry/data/system/install/1-wire-ng/dpkg'
'/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/dpkg/
apt' -> '/opt/loxberry/data/system/install/1-wire-ng/dpkg/apt'
25.04.2020 10:56:47 OK: Alle Dateien wurden erfolgreich installiert.
25.04.2020 10:56:47 INFO: Ändere Datei-Eigentümer: /bin/chown -Rv loxberry.loxberry /opt/loxberry/
data/system/install/1-wire-ng
ownership of '/opt/loxberry/data/system/install/1-wire-ng/postupgrade.sh' retained as
loxberry:loxberry
ownership of '/opt/loxberry/data/system/install/1-wire-ng/postroot.sh' retained as loxberry:loxberry
ownership of '/opt/loxberry/data/system/install/1-wire-ng/dpkg/apt' retained as loxberry:loxberry
ownership of '/opt/loxberry/data/system/install/1-wire-ng/dpkg' retained as loxberry:loxberry
ownership of '/opt/loxberry/data/system/install/1-wire-ng/preupgrade.sh' retained as
loxberry:loxberry
```

```
ownership of '/opt/loxberry/data/system/install/1-wire-ng' retained as loxberry:loxberry
25.04.2020 10:56:47 OK: Datei-Eigentümer wurde erfolgreich geändert.
25.04.2020 10:56:47 INFO: Ändere Datei-Berechtigungen: /bin/chmod -Rv 755 /opt/loxberry/data/system/
install/1-wire-ng
mode of '/opt/loxberry/data/system/install/1-wire-ng' retained as 0755 (rwxr-xr-x)
mode of '/opt/loxberry/data/system/install/1-wire-ng/postupgrade.sh' retained as 0755 (rwxr-xr-x)
mode of '/opt/loxberry/data/system/install/1-wire-ng/postroot.sh' retained as 0755 (rwxr-xr-x)
mode of '/opt/loxberry/data/system/install/1-wire-ng/dpkg' retained as 0755 (rwxr-xr-x)
mode of '/opt/loxberry/data/system/install/1-wire-ng/dpkg/apt' changed from 0644 (rw-r--r--) to 0755
(rwxr-xr-x)
mode of '/opt/loxberry/data/system/install/1-wire-ng/preupgrade.sh' retained as 0755 (rwxr-xr-x)
25.04.2020 10:56:47 OK: Datei-Berechtigungen wurden erfolgreich geändert.
25.04.2020 10:56:47 INFO: Aufräumen und Löschen der temporären Dateien.
Tempfolder is: CccStoBsfa
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
bin/createftdi.sh'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
bin/watchdog.pl'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
bin/owfs2mqtt.pl'
removed directory '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-
Wire-NG-1.0.1/bin'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
postupgrade.sh'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
README.md'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
plugin.cfg'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
prerelease.cfg'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
LICENSE'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
postroot.sh'
```

removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/sudoers/sudoers'  
removed directory '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/sudoers'  
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates/lang/language\_en.ini'  
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates/lang/language\_de.ini'  
removed directory '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates/lang'  
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates/settings.html'  
removed directory '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/templates'  
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/dpkg/apt'  
removed directory '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/dpkg'  
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon\_64.png'  
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/logo\_green\_transparent.png'  
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon\_256.png'  
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon\_128.png'  
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon.pptx'  
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon\_512.png'  
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons/icon.psd'  
removed directory '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/icons'

```
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
release.cfg'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
webfrontend/htmlauth/index.cgi'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
webfrontend/htmlauth/images/cancel_32.png'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
webfrontend/htmlauth/images/gear_32.png'
removed directory '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-
Wire-NG-1.0.1/webfrontend/htmlauth/images'
removed directory '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-
Wire-NG-1.0.1/webfrontend/htmlauth'
removed directory '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-
Wire-NG-1.0.1/webfrontend'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
preupgrade.sh'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
config/mqtt.json'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
config/owfs.json'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
config/mqtt_subscriptions.cfg'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-Wire-NG-1.0.1/
config/owfs.conf'
removed directory '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-
Wire-NG-1.0.1/config'
removed directory '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa/LoxBerry-Plugin-1-Wire-NG-1-
Wire-NG-1.0.1'
removed directory '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa'
removed '/opt/loxberry/data/system/tmp/uploads/CccStoBsfa.zip'
25.04.2020 10:56:50 OK: Alle Plugin-Dateien wurden erfolgreich installiert und das System wurde
aufgeräumt.
25.04.2020 10:56:50 INFO: Sicherung der Log Datei.
'/tmp/CccStoBsfa.log' -> '/opt/loxberry/log/system/plugininstall/1-wire-ng.log'
```

```
25.04.2020 10:56:50 INFO: Ändere Datei-Eigentümer: /bin/chown -v loxberry.loxberry /opt/loxberry/  
log/system/plugininstall/1-wire-ng.log  
ownership of '/opt/loxberry/log/system/plugininstall/1-wire-ng.log' retained as loxberry:loxberry  
25.04.2020 10:56:50 OK: Datei-Eigentümer wurde erfolgreich geändert.  
25.04.2020 10:56:50 INFO: unn tschüss... Viel Spaß mit deinem neuen Plugin!
```